

Your Name: Version a key  
Section Time/Section #: \_\_\_\_\_/\_\_\_\_\_  
Your TA's Name: \_\_\_\_\_

CS 221 Computer Science for Engineers	Fall 2011
In-Class Quiz 2	
25 October 2011	Version a

- Write your Name and Section Number/Time on this page (top-right corner).
- Write all your answers **NEATLY** on this paper. Show your work where possible.
- Answer all parts of all questions. If you need more space, use the back of the page, but indicate that you have done so!
- Calculators may NOT be used.
- You have 30 minutes.

Problem 1. [10 points] Consider the following script:

```
x = 65;  
y = 104;  
while x ~= y  
    if x > y  
        x = x - y;  
    else  
        y = y - x;  
    end  
end
```

What is the value of x when the script terminates?

x	y
65	104
26	39
13	13

13

**Problem 2.** [20 points] Suppose A is the following  $2 \times 3$  matrix:

$$A = \begin{bmatrix} 3 & 6 & 2 \\ 1 & 7 & 2 \end{bmatrix};$$

Now a script containing the following sequence of commands is executed:

```
sum = 0;
for i = 1:2
    for j = 1:3
        sum = sum + A(i,j);
    end
end
```

In the table below, show the value of each variable **just after** the assignment statement is executed, for **each iteration** until the script ends. "Iteration 0" refers to the values just before the loop is executed. The values for Iteration 1 (the first time the assignment statement is executed) have been filled in for you.

Iteration #	i	j	sum
0	-	-	0
1	1	1	3
2	1	2	9
3	1	3	11
4	2	1	12
5	2	2	19
6	2	3	21

**Problem 3.** [20 points] Suppose V is the row vector [1 5 0 2 9 7 3 5 4], and the variable k has the value 2. Fill in the blank with the value of each of the following MATLAB expressions:

- (a) V(1) 1
- (b) V(2\*k+1) 9
- (c) V(k) + V(k-1) 6
- (d) V(1:k) [1 5]
- (e) V(V(k+2)) 5

**Problem 4.** [10 points]

Consider the function below.

```
function x = foo(a,b,c)
    if a <= b
        if a <= c
            x = a;
        else
            x = c;
        end
    else % a > b
        if b <= c
            x = b;
        else
            x = c;
        end
    end
end
```

This function computes: (circle the best answer)

- (a) The conjunction of a, b and c
- (b) The maximum of its three arguments
- (c) The second-smallest of a, b, and c
- (d) The minimum of its three arguments
- (e) none of the above

**Problem 5.** [20 points] Write down the value of A after each of the following MATLAB scripts is executed:

(a) `A = 0;`  
`for i = 1:5`  
`A = A + 5;`  
`end`

value of A: 25

$0 + 5$   
 $5 + 5 = 10$   
 $10 + 5 = 15$   
 $15 + 5 = 20$   
 $20 + 5 = 25$

(b) `for i=1:5`  
`A(i) = i;`  
`end`

value of A: [1 2 3 4 5]

(c) `A = 2;`  
`while A < 10`  
`A = 2*A;`  
`end`

value of A: 16

$2 \times 2 = 4$   
 $4 \times 2 = 8$   
 $8 \times 2 = 16$

(d) `A = [ 4 3 2 1 ];`  
`for i=1:4`  
`A(i) = A(5-i);`  
`end`

value of A: [1 2 2 1]

after  $i=1$   $\begin{bmatrix} 4 & 3 & 2 & 1 \end{bmatrix}$   
 $i=2$   $\begin{bmatrix} 1 & 2 & 2 & 1 \end{bmatrix}$   
 $i=3$   $\begin{bmatrix} 1 & 2 & 2 & 1 \end{bmatrix}$   
 $i=4$   $\begin{bmatrix} 1 & 2 & 2 & 1 \end{bmatrix}$

**Problem 6. [10 points]**

Write a for-loop that does the same thing as this loop:

```
k = 1;
while k < length(vector)
    vector(k) = vector(k)^3;
end
```

*for k = 1: length(vector)*  
*vector(k) = vector(k)^3*  
*end*

**Problem 7. [10 points]**

Suppose that variables are assigned values as follows:

```
>> x = 163.45732;
>> z = 221.0014;
>> v = 3;
>> w = 2;
```

For each output shown, circle the fprintf statement that would produce it.

a. >> The value of x is ... 163.46.

>>

- fprintf('%5.2x\n')
- fprintf('The value of x is %10.2f\n',x)
- fprintf('The value of %s is %10.2g\n',x,163.46)

• none of the above

b. >> 163 2 3

>>

- fprintf('%i %i %i',x,w,v)
- fprintf('%d\n%d\n%d\n',163,w,v)
- fprintf('%10.0f %d %d\n',x,w,v)
- none of the above